

STEERX

DRIVE YOUR WORKFLOW

GALVANIZED HAND PALLET TRUCK



GALVANIZED HAND PALLET TRUCK

Load Capacity: 2500kg

Tough, clean, galvanized

Durable galvanized pallet jack for food & chemical industries

The Galvanized Manual Hand Pallet Truck is specially designed for harsh, wet, and corrosive environments, making it the perfect choice for industries such as food processing, pharmaceuticals, fisheries, cold storage, and chemical plants. With a capacity of 2500 Kg, this heavy-duty galvanized pallet jack ensures reliable performance while resisting rust and corrosion for long-lasting durability.

Ergonomic truck for demanding use

Manufactured with a galvanized steel frame and reinforced hydraulic pump, this pallet truck is built to handle daily heavy-duty operations in demanding conditions. The ergonomic 3-function handle (Lift, Neutral, Lower) allows smooth and effortless operation, while the premium polyurethane wheels ensure easy maneuverability, even with full loads.

Rust-proof pallet truck

Its rust-proof and corrosion-resistant finish makes it ideal for operations where hygiene and durability are critical. Whether you are transporting pallets in wet areas, cold storage facilities, or chemical warehouses, the Galvanized Manual Pallet Truck provides a safe, efficient, and low-maintenance material handling solution.

Quality and Toughness

Durable with safety valves

The galvanized truck is designed for durability, featuring a pressure relief valve and overload valve that protect the pump from damage when handling loads that exceed weight limits. Its one-piece pump design not only simplifies maintenance and repairs but also ensures reliable performance and extended service life, making it an efficient and dependable solution for material handling needs.




Nylon rollers for wet and corrosive areas

The SS Truck comes equipped with nylon fork rollers as a standard feature, ensuring smooth and efficient movement even in damp, corrosive, or harsh environments. These durable rollers provide excellent resistance to moisture, chemicals, and abrasion, making the pallet truck ideal for wet or hygiene-sensitive applications such as food processing, pharmaceuticals, and cold storage facilities.



Specifications

MODEL		SMPT25G	
1	Capacity	kg	2500
2	Pump type		AC Pump
3	Wheel type		Nylon
4	Size of steering wheel	ØD mm	180*50
5	Size of loading wheel(single wheel)	Ød mm	74*93
6	Lifting height	h mm	115
7	Max. lifting height	H mm	190/200
8	Lowered height of fork	H1 mm	75/85
9	Fork outside distance	W mm	540
10	Fork length	L mm	1150
11	Fork width	S mm	160x60
12	Fork thickness	mm	3
13	Weight	kg	72



STEERX

DRIVE YOUR WORKFLOW



Effortless



Durable



Cost Effective



Outstanding Quality