

STEERX

DRIVE YOUR WORKFLOW

HEAVY DUTY
MANUAL HAND STACKER



MANUAL HAND STACKER

Load Capacity: 1500kg

Easy Handling, Long-Lasting Quality

Reliable & cost-effective lifting solution

Manual Hydraulic Stacker is a reliable and cost-effective material handling solution designed for lifting, stacking, and transporting heavy loads in warehouses, factories, workshops, and logistics facilities.

Robust hydraulic structure for heavy-duty use

Built with a robust steel frame and powerful hydraulic system, this hand-operated stacker is engineered to handle loads up to 1500 Kg, offering maximum durability and efficiency in daily operations.

Ergonomic stacker with adjustable forks & compact design

Built with a robust steel frame and powerful hydraulic system, this hand-operated stacker is engineered to handle loads up to 1500 Kg, offering maximum durability and efficiency in daily operations.

Low-maintenance stacker with safety & efficiency features

With its low maintenance design, overload protection valve, and premium wheels, the Manual Hydraulic Stacker is the ideal choice for businesses seeking a safe, durable, and efficient alternative to forklifts for medium-duty lifting and stacking tasks.



Additional features


Optional choice of fixed bended fork

The manual hand stacker offers an optional choice of fixed bended forks, available in two standard sizes: 560mm and 685mm. These fixed bended forks are designed to accommodate a variety of pallet sizes, providing greater flexibility in material handling applications. Their sturdy construction ensures stable load support during lifting and transportation, making them ideal for warehouses, workshops, and other industrial environments.



Foot protection for operator safety

For enhanced operator safety, the manual hand stacker can be equipped with foot protection on the steering rollers. This added feature helps prevent accidental foot injuries during operation, making it a safer choice for busy warehouse and industrial environments.



Secure parking & flexible lifting options

The manual hand stacker ensures safe parking in any situation with its reliable mechanical parking brake. For added convenience, it also offers optional lifting methods, including tiller pumping and foot pedal lifting, allowing operators to choose the most comfortable and efficient operation mode.



Specifications

MODEL			SMHS15-1600	SMHS15-2000	SMHS15-3000
1	Capacity	Q kg	1500	1500	1500
2	Load center	C mm	600	600	600
3	Lifting height	h mm	1600	2000	3000
4	Mast lowered height	H mm	2070	1500	2020
5	Mast extend height	H1 mm	2070	2510	3510
6	Mast type		S	D	D
7	Lowered height of fork	h1 mm	90	90	90
8	Fixed fork outside distance	W mm	560/680	560/680	560/680
9	Option adjustable fork	mm	230-870	230-870	230-680
10	Fork length	sllell mm	1150	1150	1500
11	Overall width	W2 mm	780	870	870
12	Overall length	L mm	1650	1650	1650
13	Lifting speed	mm/time	≥16	≥16	≥16
14	Lowering speed		Controllable	Controllable	Controllable
15	Turning radius	Wr mm	1590	1600	1600
16	Wheel(drive/load) type		PU/Nylon	PU/Nylon	PU/Nylon
17	Size of steering wheel	ØD mm	Ø180*50	Ø180*50	Ø180*50
18	Size of load wheel	Ød mm	Ø80*60	Ø80*60	Ø80*60
19	Service weight	kg	240~260	280~300	320~340

