

STEERX

DRIVE YOUR WORKFLOW



MANUAL HIGH LIFTER PALLET TRUCK

Load Capacity: 1000kg

Scissor pallet lifter

High Lifting Capacity

Designed to lift and transport loads up to 1000 kg / 1 Ton, making it ideal for warehouses, factories, and workshops.

Ergonomic Scissor Lift Design

Combines pallet truck and lift table to reduce strain and boost efficiency.

Hydraulic High Lift System

Equipped with a reliable hydraulic mechanism that provides smooth lifting and safe lowering of heavy loads.

Sturdy Steel Construction

Manufactured with high-strength powder-coated steel for long durability and resistance to wear, rust, and corrosion.



- Equipped with quick lift function doubles the lift speed for loads lighter than 200kg.
- With pressure relief valve and overload valve to prevent pump damages when loads exceeds weight limits.
- The enclosed fork tips and reinforced fork frames ensure long service life.



Smooth Maneuverability

Fitted with premium polyurethane steering wheels for easy movement and floor protection.


Auto-Lock for Safe Lifting

When lifting height below 400 mm, it is as easy to move as a pallet truck, above 400 mm the truck is automatically locked by triggering the supports at both sides of the steering wheel.



Specifications

| MODEL | | SHLPT10 | |
|-------|------------------------|---------|-----------------|
| 1 | Capacity | kg | 1000 |
| 2 | Min. fork height | H mm | 85 |
| 3 | Max. fork height | h mm | 800 |
| 4 | Size of fork | S mm | 160x50 |
| 5 | Fork overall width | W mm | 540/680 |
| 6 | Fork length | L mm | 1150 |
| 7 | Size of load wheel | Ød mm | 80x70 |
| 8 | Load wheel | | Nylon/PU |
| 9 | Size of steering wheel | ØD mm | 180x50 |
| 10 | Steering wheel | | Nylon/PU/Rubber |
| 11 | Pump | | Quick Lift |
| 12 | Weight | kg | 113/116 |
| 13 | Material | | Normal |



STEERX

DRIVE YOUR WORKFLOW



Effortless



Durable



Cost Effective



Outstanding Quality